

Half Yearly Compliance Report**2024****01 Jun(01 Oct - 31 Mar)****Acknowledgment**

Proposal Name	10 MTPA Slag & Clinker Grinding Unit- Transfer of Environmental clearance from Integrated Steel Plant (5 MTPA to 10 MTPA) and Gas Based Power Plant (300 MW to 600 MW) of M/s JSW Steel Limited located at Geethapuram, Village Dolvi, Tehsil- Pen, District- Raigad in Maharashtra to M/s JSW Cement Limited.		
Name of Entity / Corporate Office	Manoj Kumar Rustagi		
Village(s)	N/A		
District	RAIGAD		
Proposal No.	IA/MH/IND/41055/2015	Category	Industrial Projects - 1
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	MAHARASHTRA	Entity's PAN	NA
MoEF File No.	F. NO. IA-J-11011/ 499/ 2017- IA.II(I)	Entity name as per PAN	NA

Compliance Reporting Details

Reporting Year	2024
Remarks (if any)	Half Yearly Environment Clearance Compliance report of M/s JSW Cement Limited, located Geetapuram Dolvi Pen Dist Raigad Maharashtra
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office Manoj Kumar Rustagi

	Project Area as per EC Granted	Annual Project Area in Possession
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	0	0

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	OPC/PSC/GGBFS/PSC/CC	Million Tons per Annum (MTPA)	31/03/2028	10	0.84	3.6
2	OPC/PSC/GGBFS/PSC/CC	Million Tons per Annum (MTPA)	31/03/2028	10	2.16	3.6

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	GREENBELT	The commitment made by the PP for plantation of the green belt over 33% of project area should be expedited. Three rows of green belt, 12- 15 meters wide, all along the periphery of the plant should be planted.
<p>PPs Submission: Complied We have started green belt development all along the periphery of the plant and we will comply to the stated requirement.</p>		Date: 31/05/2024
2	Corporate Environmental Responsibility	The CSR plan as submitted by the PP in the area of health care, rural infrastructure development, education, sports and cultural activity, Swachh Bharat Abhiyan with respect to the earlier projects and the ongoing project at Dolvi site are very slow in implementation. The CSR activities should be implemented expeditiously and simultaneously with the implementation of the project, and annual report on CSR activity should be submitted to the Ministry.
<p>PPs Submission: Complied The EC has been transferred from M/s JSW Steel Limited and as per point No. 8 of the EC letter F.No. J-11011/76/2013- IA.II(I), dated 23-01-2018, implementation of ESC and CSR shall be the responsibility of the JSW Steel Ltd., the parent company. Annual report on CSR has been submitted to the Ministry by M/s JSW Steel Ltd.</p>		Date: 31/05/2024
3	Corporate Environmental Responsibility	At least 5% of the total cost of the project should be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent should prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector- wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation, etc) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head should be created and the annual capital and revenue expenditure on various activities of the Plan should be submitted as part of the Compliance Report to RO, at Bhopal. The details of the CSR Plan should also be uploaded on the company website and should also be provided in the Annual Report of the company.

<p>PPs Submission: Complied</p> <p>The EC has been transferred from M/s JSW Steel Limited and as per point No. 8 of the EC letter F.No. J-11011/76/2013- 1A.II(I), dated 23-01-2018, implementation of ESC and CSR shall be the responsibility of the JSW Steel Ltd., the parent company. Annual report on CSR has been submitted to the Ministry by M/s JSW Steel Ltd.</p>		<p>Date: 31/05/2024</p>
4	Marine/Coastal	No development should be done on the creek-ward side of the land. Land area between HTL to 100 mts or width of the creek, whichever is less, on the landward side should be kept free from any type of development.
<p>PPs Submission: Complied</p> <p>No developments works are being carried out on the creek ward side of the land.</p>		<p>Date: 31/05/2024</p>
5	MISCELLANEOUS	Full utilization of BF slag should be implemented. The details should be submitted along with 6 monthly compliance reports.
<p>PPs Submission: Complied</p> <p>BF Slag generated by JSW Steel from 01-10-2023 to 31-03-2024 is 1201356 MT BF Slag consumed by JSW Cement from 01-10-2023 to 31-03-2024 is 1206231 MT (Including the previous stocks)</p>		<p>Date: 31/05/2024</p>
6	WATER QUALITY MONITORING AND PRESERVATION	No waste water will be discharged outside the plant boundary during normal operation. In case it become necessary to discharge effluent meeting norms fit to the marine environment, permission of the relevant authority should be obtained.
<p>PPs Submission: Complied</p> <p>We are not letting out or discharging any waste water outside the premises. Our is a Zero Liquid discharge plant. All the generated waste water is being treated in STP of capacity 50 KLD and the treated water is utilized for dust suppression and gardening.</p>		<p>Date: 31/05/2024</p>
7	WATER QUALITY MONITORING AND PRESERVATION	No untreated effluent should be reused for any process.
<p>PPs Submission: Complied</p> <p>As there is no effluent generation in our cement manufacturing process.</p>		<p>Date: 31/05/2024</p>
8	AIR QUALITY MONITORING AND PRESERVATION	"Measures should be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks should be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. should be provided to keep the emission levels below 50 mg/Nm3 and installing energy efficient technologies in the Plant"
<p>PPs Submission: Complied</p> <p>We have taken following mitigational measures for reducing PM levels in the ambient air: a) Silos for storage of clinker & cement b) Covered belt conveyors and covered shed for storage of gypsum c) Concrete paved roads for vehicle movement d) Cement Mill is equipped with Pulse Bag House and chimney with 48 mtr height and 3.5 mtr diameter e) Bag filters at all the material transfer points. The bag house and bag filters are designed to meet the outlet emission standards of < 30 mg/Nm3 We have also Installed online continuous emission monitoring system (OCEMS) in the cement mill stack. Latest technology energy efficient equipment has been provided to conserve energy to the extent possible.</p>		<p>Date: 31/05/2024</p>
9	AIR QUALITY MONITORING AND PRESERVATION	On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks should be provided and sufficient air pollution control devices. Gaseous emission levels

		including secondary fugitive emissions from all the sources should be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30th May, 2008 and regularly monitored. Guidelines / Code of Practice issued by the CPCB should be followed.
	<p>PPs Submission: Complied</p> <p>JSW Cement plant is established within JSW Steel complex where five numbers of CAAQMS 24x7 are installed at the periphery of the steel complex and these are connected to CPCB & MPCB servers. In addition, JSWCL has also installed 2 nos of CAAQMS in the existing cement plant premises with connectivity to CPCB & MPCB. These analyzers also measure the ambient air quality of new unit which is in close proximity to the existing plant. Further, we have also installed online continuous emission monitoring system (OCEMS) in the cement mill stack. Emissions from all the sources are being maintained below the prescribed norms. Guidelines/code of practice issued by the CPCB will be followed in our plant.</p>	Date: 31/05/2024
10	AIR QUALITY MONITORING AND PRESERVATION	The project proponent should install 24x7 air and water monitoring devices to monitor air emission and effluent discharge, as provided by CPCB and submit report to Ministry and its Regional Office.
	<p>PPs Submission: Complied</p> <p>JSW Cement plant is established within JSW Steel complex where five numbers of CAAQMS 24x7 are installed at the periphery of the steel complex and these are connected to CPCB & MPCB servers. In addition, JSWCL has also installed 2 nos of CAAQMS in the existing cement plant premises with connectivity to CPCB & MPCB. These analyzers also measure the ambient air quality of new unit which is in close proximity to the existing plant. We have installed online continuous emission monitoring system (OCEMS) in the cement mill stacks. OCEMS has been connected to CPCB & MPCB servers for online data transmission. Online effluent monitoring is not applicable for cement plants as per CPCB guidelines. Monitoring reports are being regularly submitted to the Ministry, CPCB and also to its Regional office.</p>	Date: 31/05/2024
11	MISCELLANEOUS	"Vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards."
	<p>PPs Submission: Complied</p> <p>All the vehicles and construction machineries are maintained properly through regular servicing, So that the noise generation is reduced to meet the prescribed standards.</p>	Date: 31/05/2024
12	WATER QUALITY MONITORING AND PRESERVATION	The PP should ensure treatment of effluent from Cement plant.
	<p>PPs Submission: Complied</p> <p>There is no effluent generation from the cement manufacturing process.</p>	Date: 31/05/2024
13	Risk Mitigation and Disaster Management	Risk and Disaster Management Plan along with the mitigation measures should be prepared and implemented.
	<p>PPs Submission: Complied</p> <p>Risk & Disaster management plan has been prepared with mitigation measures and the same has been implemented.</p>	Date: 31/05/2024
14	Corporate Environmental Responsibility	"All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants should be implemented."
	<p>PPs Submission: Complied</p> <p>We have implemented all the recommendations of the Charter on Corporate Responsibility (CREP)</p>	Date: 31/05/2024

for Environment Protection applicable for cement plants/ cement grinding units.		
15	PUBLIC HEARING	All the commitments made to the public during public hearing/public consultation Should be satisfactorily implemented and adequate budget provision should be made accordingly.
PPs Submission: Complied All the commitments made to the public during the PH are being complied and implemented by JSW Steel as per the budget provisions.		Date: 31/05/2024
16	Human Health Environment	All the permanent workers should be covered under ESI Scheme. The company should have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case of emergency. Annual Medical Checkup on some medical parameters like Blood test, Chest X-Ray, Eye test, Audiometric, Spirometry etc. should be conducted amongst the employees of the Company.
PPs Submission: Complied For the wellbeing of the workers an occupational health centre (OHC) is provided within the steel plant complex with 24x7 ambulance facility availability at the cement plant to meet any medical emergency. In addition to this, we have also constructed Sanjeevani Hospital run by JSW group to meet any medical emergencies. Also annual medical examination for the employees and workmen covering all the medical parameters are being carried out through sanjeevani hospital.		Date: 31/05/2024
17	AIR QUALITY MONITORING AND PRESERVATION	Dust suppression system and bag filters should be installed to control the fugitive dust emissions at conveyor and transfer points, product handling, loading and unloading points.
PPs Submission: Complied We have installed dust suppression system and bag filters at conveyors and material transfer points, product handling, loading and unloading points to control the fugitive dust emission. Further regular water sprinkling is done through water tanker in unpaved areas to control fugitive emission in the premises. The Details of Bag Filters installed are listed below:		Date: 31/05/2024
18	WATER QUALITY MONITORING AND PRESERVATION	Water consumption should not exceed as per the CREP standard prescribed for the steel plants. Additional water, if any, required for the plant project operations. Should be met form rainwater stored in rainwater harvesting structures.
PPs Submission: Complied This specific condition is applicable for Steel plant. We are complying with the CREP standard as applicable for cement industry. The compliance status of CREP is attached		Date: 31/05/2024
19	WATER QUALITY MONITORING AND PRESERVATION	Rainwater harvesting scheme should be prepared so that the rainwater can be collected, re-used and may be used for ground water recharge. The concrete drains should be de-silted and regular supervision of the areas should be carried out so that blocking of drains may be avoided for quick discharge of rainwater. Efforts should further be made to use maximum water from the rain water harvesting sources. If needed, capacity of the reservoir should be enhanced to meet the maximum water requirement.
PPs Submission: Complied Rainwater harvesting has been implemented for groundwater recharge. Concrete drains are desilted before monsoon and regular supervision of the same is being carried our regularly.		Date: 31/05/2024
20	WATER QUALITY MONITORING AND PRESERVATION	All the effluents should be treated and reused for dust suppression/ green belt development. No effluent should be discharged and 'zero' discharge should be adopted.

<p>PPs Submission: Complied There is no effluent generation from the cement Manufacturing process. However, an STP is installed for treating the waste water</p>		<p>Date: 31/05/2024</p>
21	MISCELLANEOUS	"Full utilization of fly ash should be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash should be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding should be submitted to the Ministry's Regional Office at Bhopal."
<p>PPs Submission: Agreed to Comply At present we are not using any ash for manufacturing of cement. The same shall be complied whenever we start using fly ash.</p>		<p>Date: 31/05/2024</p>
22	MISCELLANEOUS	"Hazardous materials required during construction phase and in plant operations should be stored properly as per the regulations and reused/recycled as per the E(P)A Rules."
<p>PPs Submission: Complied Hazardous waste is being stored in a proper manner as per the regulations.</p>		<p>Date: 31/05/2024</p>
<p>General Conditions</p>		
Sr.No.	Condition Type	Condition Details
1	Statutory compliance	The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board and the State Government.
<p>PPs Submission: Agreed to Comply We are strictly adhering to the stipulation made by MPCB and state government.</p>		<p>Date: 31/05/2024</p>
2	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
<p>PPs Submission: Agreed to Comply No further expansion or modifications in the plant will be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).</p>		<p>Date: 31/05/2024</p>
<p>PPs Submission: Agreed to Comply No further expansion or modifications in the plant will be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).</p>		<p>Date: 31/05/2024</p>
3	AIR QUALITY MONITORING AND PRESERVATION	"At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Nagpur and the SPCB/CPCB once in six months."
<p>PPs Submission: Complied JSW Steel has installed five numbers of CAAQMS 24x7 at the periphery of the steel complex and these are connected to CPCB & MPCB servers. In addition, JSWCL has also installed 2 nos of CAAQMS in the existing cement plant premises for monitoring concentration of PM10, PM2.5, SO2</p>		<p>Date: 31/05/2024</p>

and NOx with connectivity to CPCB & MPCB. These analyzers also measure the ambient air quality of new unit which is in close proximity to the existing plant. The Data on ambient air quality and stack emission are being regularly submitted to SPCB in half yearly basis.		
4	AIR QUALITY MONITORING AND PRESERVATION	"Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose."
PPs Submission: Complied We have a STP of capacity 50CMD to treat domestic waste water and treated water is being used for gardening as well as water sprinkling on the road for dust suppression purpose.		Date: 31/05/2024
5	Noise Monitoring & Prevention	"The overall noise levels in and around the plant area shall be kept well within the standards (85 dB A) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz, 75 dBA (day time) and 70 dBA (night time)."
PPs Submission: Complied The overall noise levels in and around the plant area are maintained below the prescribed norms by taking appropriate noise control measures.		Date: 31/05/2024
6	Human Health Environment	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.
PPs Submission: Complied We are carrying out occupational health surveillance of the workers on regular basis and the record shall be maintained as per the factory act requirement.		Date: 31/05/2024
7	WATER QUALITY MONITORING AND PRESERVATION	"The company should develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table."
PPs Submission: Complied We have already developed rain water harvesting structures to harvest the rain water and same is being utilized in lean season.		Date: 31/05/2024
8	MISCELLANEOUS	The project proponent should also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programs, educational programs, drinking water supply and health care etc.
PPs Submission: Complied All the environmental protection measures as recommended in the EIA/EMP are duly complied. We will continuously implement various CSR programs as per the CSR plan in association with JSW Steel, the parent company.		Date: 31/05/2024
9	MISCELLANEOUS	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Nagpur. The funds so provided shall not be diverted for any other purpose.

<p>PPs Submission: Complied We have earmarked INR 55 Crore and INR 2.5 crore towards capital cost & recurring cost/annum respectively for environment protection and pollution control measures for 10 MTPA cement project. However, presently, we have installed only 3.6 MTPA capacity plant for which INR 8.0 Crore and INR 1.00 crore has been earmarked for capital and recurring expenditures respectively. Till now, we have spent INR 7.52 Crore as capital expenditure towards implementation of EMP. The earmarked funds will not be diverted of any other purposes.</p>		<p>Date: 31/05/2024</p>
10	Statutory compliance	"A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent."
<p>PPs Submission: Complied Copy of the Environment clearance letter has been sent to the concerned authorities and the same has been uploaded on our company website and can be seen at the below link: https://www.jswcement.in/wp-content/uploads/2020/08/EC-transfer-10.0-MTPA-to-JSW-Cement-Dolvi.pdf</p>		<p>Date: 31/05/2024</p>
11	Statutory compliance	"The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEFCC at Nagpur. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10 S02, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain."
<p>PPs Submission: Complied The Status on EC compliance of the stipulated conditions including results of monitored data is being uploaded on the company website regularly. The criteria pollutant levels namely, SPM, RSPM, SO2 and NOx (ambient levels as well as stack emissions) are being monitored regularly through NABL Accredited laboratory and submitted to the board office. Also online data for stack and ambient air are electronically displayed near the main factory entrance.</p>		<p>Date: 31/05/2024</p>
12	Statutory compliance	"The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by-mail) to the Regional, Office of MOEFCC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bangalore / CPCB SPCB shall monitor the stipulated conditions. "
<p>PPs Submission: Complied Six monthly compliance reports are being uploaded regularly in the Parivesh 2.0 portal regularly well within the specified timeline.</p>		<p>Date: 31/05/2024</p>
13	Statutory compliance	"The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEFCC at Nagpur by e-mail "

<p>PPs Submission: Complied</p> <p>The Environment Statement in Form V is regularly submitted to the Maharashtra State Pollution Control Board through ecmpcb portal and is also put on the website of the Company along with the status of compliance of EC conditions. The Copy of recently submitted Form-V is enclosed below:</p>		<p>Date: 31/05/2024</p>
14	Statutory compliance	<p>"The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forest and Climate Change (MOEFCC) at http:// envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Nagpur."</p>
<p>PPs Submission: Complied</p> <p>As stipulated, we have uploaded copy of the Environment clearance on our company website. https://www.iswcement.in/wp-content/uploads/2020/08/EC-transfer-of-10.0-MTPA-to-JSW-Cement-Dolvi.pdf We have advertised our Environment Clearance in local newspapers (i.e . Krushival & Free Press Journal) which are widely circulated in the region and copy of the same was submitted to Regional office, MoEF&CC.</p>		<p>Date: 31/05/2024</p>
15	MISCELLANEOUS	<p>Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.</p>
<p>PPs Submission: Complied</p> <p>Date of financial closure: 31st March 2021 Date of final approval: 20th December 2016 Date of commencement of land development work: 10th January 2017</p>		<p>Date: 31/05/2024</p>
16	MISCELLANEOUS	<p>JSW Cement limited shall abide by all the commitments and recommendations made in the EIA/EMP report and that during presentation to the EAC; commitments made during the Public hearing held on 28.01.2014 for Integrated Steel Plant.</p>
<p>PPs Submission: Complied</p> <p>We will abide all the commitments and recommendations made in the EIA/EMP. The Public hearing commitments is being carried out by JSW Steel as per the point No. 8 of the EC letter F.No. J-11011/76/2013- 1A.II(I), dated 23-01-2018</p>		<p>Date: 31/05/2024</p>
17	MISCELLANEOUS	<p>"The Ministry may revoke or suspend the clearance, If implementation of any of the above conditions is not satisfactory."</p>
<p>PPs Submission: Agreed to Comply</p> <p>Agreed to Comply.</p>		<p>Date: 31/05/2024</p>
18	MISCELLANEOUS	<p>"The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions "</p>
<p>PPs Submission: Agreed to Comply</p> <p>Agreed to Comply.</p>		<p>Date: 31/05/2024</p>
19	MISCELLANEOUS	<p>"The PP shall ensure no change in the pollution load; and no conflict in sharing in common facilities in day to day operations"</p>

PPs Submission: Agreed to Comply Agreed to Comply.		Date: 31/05/2024
20	MISCELLANEOUS	All the liabilities regarding environmental issues of slag and clinker grinding unit will be the responsibility of the new company i.e. M/s JSW Cement Limited.
PPs Submission: Agreed to Comply Agreed to Comply.		Date: 31/05/2024
21	MISCELLANEOUS	"The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules."
PPs Submission: Agreed to Comply Agreed to Comply.		Date: 31/05/2024
22	AIR QUALITY MONITORING AND PRESERVATION	"This Environmental Clearance is partial modification of the J-11011/76/2013-IA II (I) dated 25th August 2015."
PPs Submission: Agreed to Comply Agreed to Comply.		Date: 31/05/2024
23	MISCELLANEOUS	"Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010. "
PPs Submission: Agreed to Comply Agreed to Comply.		Date: 31/05/2024
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		