



JSWCL/JAIPUR/ENV/2025-26/20

29th Nov 2025

JSW Cement Limited

Kalinganagar Industrial Complex,
Vill - Jakhapura, Tahasil - Danagadi,
Dist.- Jajpur, Odisha - 755026
GST - 21AABCJ6731B1Z8
Website : www.jswcement.in

TO,

Deputy Director General of Forests(C),
Ministry of Env.Forest and Climate Change,
Regional Office(EZ),A/3,
Chandrasekharpur,
Bhubaneswar- 751023

Sub: Submission of Half Yearly Environment compliance report for the period April 2025 to Sept 2025.

Ref: Environment Clearance Letter No. F.NO 19604/4-1ND/06-2017 Ref No. 3693/SEIAA dated 17th October 2017.

Dear Sir,

With respect to above mentioned Subject and reference cited, we herewith enclosing Six Monthly Environment Compliance report along with relevant annexures for the period **April 2025 to Sept 2025**.

Thanking you with regards,



For JSW Cement Limited

Alok Niranjana Bagaria
(Unit Head)

Enc: as stated above

CIN-U26957MH2006PLC160839

Regd. Office :

JSW Centre, Opp. MMRDA Ground
Bandra Kurla Complex, Bandra (East)
Mumbai - 400 051
Ph (Direct) : +91 - 22 - 4286 5047
Fax : +91 - 22 - 2650 2001
Website : www.jswcement.in



Part of O.P. Jindal Group

ENVIRONMENT CLEARANCE COMPLIANCE STATUS REPORT

PERIOD: 1st April 2025 to 30th September 2025



**M/s JSW Cement Limited, Jajpur
(Kalinga Nagar Industrial Complex, Vill- Jakhapura, Tehsil- Danagadi
Dist- Jajpur, Odisha- 755026)**

List of Annexures

Sl.	Particulars	Annexure
1	Monthly Environment Monitoring Report (April 2025- September 2025)	I
2	PH Commitments Status	II
3	CREP Report	III
4	Details of CSR Expenditure	IV
5	Risk Assessment Study and Disaster Management Plan	V
6	EMP Budget	VI
7	Environment Statement	VII
8	EC Advertisement	VIII

Compliance Report of Environment Clearance Conditions

Name of the Project: 1.20 MTPA Portland Slag Cement (PSC), Portland Pozzolana Cement (PPC), And Ground Granulated Blast Furnace Slag (GGBS) Cement Grinding Unit, JSW Cement Ltd. located at Kalinga Nagar Industrial Complex, Danagadi, Dist- Jajpur, Odisha
SEIAA Environment Clearance Letter – F.No 19604/4-IND/06-2017 Ref No. 3693/SEIAA dated 17th October 2017

Project Code: Not yet allotted

Period : April-25 to September-25


S.No.	Conditions	Compliance																							
A	Specific Conditions																								
1	Environmental Clearance is granted as recommended by SEAC considering that they are standalone grinding units.	Noted and agreed.																							
2	<div>The Environmental Clearance is granted for cement grinding unit of following production capacity.</div> <table><tr><th>Product</th><th>Capacity</th></tr><tr><td>Portland Slag Cement (PSC)</td><td rowspan="4">1.2 MTPA</td></tr><tr><td>Portland Pozzolana Cement (PPC)</td></tr><tr><td>Ground Granulated Blast Furnace Slag (GGBS)</td></tr><tr><td>Portland Composite Cement (PCC)</td></tr></table>	Product	Capacity	Portland Slag Cement (PSC)	1.2 MTPA	Portland Pozzolana Cement (PPC)	Ground Granulated Blast Furnace Slag (GGBS)	Portland Composite Cement (PCC)	<div>Complied</div> <div>Production of cement (PSC/PPC/GGBS/ Composite Cement) has not exceeded the maximum permissible quantity, i.e. 1.2 MTPA. Now we obtained 0.4 MTPA addition through NIPL via letter no 7710/IND-I-CON-6672 and dated: 15.04.2025. During the year 2020-21, 2021-22, 2022-23, 2023-24 & 2024-25 the production remained 0.62 MTPA 0.51 MTPA, 0.55 MTPA,0.64 MTPA and 0.59 MTPA which is less than the permissible quantity of EC and CTO.</div> <div>Production data from April 2025 to Sept 2025 are given below:</div> <table><tr><th>Month & year</th><th>Production in Tonnes</th></tr><tr><td>April 2025</td><td>46461</td></tr><tr><td>May 2025</td><td>59219</td></tr><tr><td>June 2025</td><td>43979</td></tr><tr><td>July 2025</td><td>42264</td></tr><tr><td>Aug 2025</td><td>40152</td></tr><tr><td>Sept 2025</td><td>44144</td></tr><tr><td>Total</td><td>276,219</td></tr></table>	Month & year	Production in Tonnes	April 2025	46461	May 2025	59219	June 2025	43979	July 2025	42264	Aug 2025	40152	Sept 2025	44144	Total	276,219
Product	Capacity																								
Portland Slag Cement (PSC)	1.2 MTPA																								
Portland Pozzolana Cement (PPC)																									
Ground Granulated Blast Furnace Slag (GGBS)																									
Portland Composite Cement (PCC)																									
Month & year	Production in Tonnes																								
April 2025	46461																								
May 2025	59219																								
June 2025	43979																								
July 2025	42264																								
Aug 2025	40152																								
Sept 2025	44144																								
Total	276,219																								
3	The project proponent should install 24X7 air monitoring devices to monitor air emissions, as provided by the CPCB and submit report to the SEIAA, Odisha and Regional Office MoEF & CC, Bhubaneswar.	<div>Complied</div> <div>The unit has installed OCEMS for both the major stacks i.e. cement mill & coal mill and 1 No. of CAAQMS for continuous monitoring of ambient air. Data from the OCEMS & CAAQMS is being continuously transmitted to the CPCB/SPCB server. In addition, the monitoring is conducted by third party and analysis report for the same is being submitted to concerned statutory bodies on regular basis.</div> <div>(Reports enclosed as Annexure - I)</div>																							



CEMS installed for Coal Mill



CEMS installed for Cement Mill



Graphical Representation of Stack SPM value


4	<p>The Standards issued by the MoEF&CC, Govt. of India vide G.S.R. No. 612 (E) dated 25th August 2014 and subsequent amendment dated 9th May 2016 and 10th May 2016 regarding cement plants with respect to particulate matter, SO₂ & NO_x shall be followed.</p>	<p>Since, it is a cement-grinding unit, monitoring of SO₂ and NO_x are not applicable for this unit; only particulate matter emission standards are applicable to us and we are complying to the same. All the emission levels are maintained well within the stipulated norms of specified notification.</p>
---	---	--

5	Continuous stack monitoring facilities to monitor gaseous emissions from the process stacks shall be provided. Limit of PM shall be controlled to meet prescribed standards by installing adequate air pollution control.	<p>Complied</p> <p>OCEMS have been installed for both the major stacks (Cement Mill & Coal Mill). As this is a cement grinding unit, only particulate matter emission standards are applicable to us. We have taken various measures for reducing PM levels by installing bag house, bag filters at all the material transfer points as well as stacks. The bag filters are designed for outlet dust emissions <30 mg/Nm3.</p>
6	The National Ambient Air Quality Standards issued by the MoEF&CC, Govt. of India vide G.S.R. No. 826(E) dated 16th November 2009 shall be followed.	<p>Complied</p> <p>The National Ambient Air Quality Standards are strictly adhered. The unit has engaged an NABL and MoEF & CC recognized laboratory for carrying out Ambient Air Quality Monthly. The results of Ambient Air Quality Monitoring carried out for the period April 2025 to Sept 2025 are mentioned below: All the values are within the stipulated norms.</p>


Ambient Air Quality Monitoring reports FY -2025-26 (Apr to Sept)								
Ambient Air (PM10) (µg/m3)								
Area	Standard	Apr	May	June	July	Aug	Sept	Average
Near weigh bridge	100	64.1	64.61	64.81	64.4	64.2	63.59	64.3
Near Hopper Building		66	66.21	66.3	64.71	64.07	63.69	65.2
Near CCR building		63	62.9	63.34	62.73	63.9	63.7	63.3
Near raw material yard		61.2	62.1	62.29	62.67	64.4	63.76	62.7
Ambient Air (PM2.5)(µg/m3)								
Area	Standard	Apr	May	June	July	Aug	Sept	Average
Near weigh bridge	60	37.1	36.82	36.41	35.51	35.33	34.48	35.9
Near Hopper Building		39	38.2	38.8	37.52	36.17	35.66	37.6
Near CCR building		38.2	36.01	35.05	33.74	33.05	32.42	34.7
Near raw material yard		37.1	34.18	33.65	33.34	33.01	32.59	34.0

Ambient Air SO2(µg/m3)								
Area	Standard	Apr	May	June	July	Aug	Sept	Average
Near weigh bridge	80	7.9	7.84	7.95	7.66	7.67	7.52	7.8
Near Hopper Building		7.3	7.3	7.08	6.64	6.65	6.47	6.9
Near CCR building		6.6	6.55	6.46	6.45	6.56	6.46	6.5
Near raw material yard		8	8.15	7.8	7.62	7.67	7.65	7.8
Ambient Air NOx(µg/m3)								
Area	Standard	Apr	May	June	July	Aug	Sept	Average
Near weigh bridge	80	14.2	13.98	13.72	13.25	12.75	12.44	13.4
Near Hopper Building		14.4	14.05	13.75	13.61	13.6	12.97	13.7
Near CCR building		14.6	15.35	15.1	14.23	13.86	13.5	14.4
Near raw material yard		16.1	16.12	15.62	15.57	15.64	15.57	15.8
Ambient Air CO(mg/m3)								
Area	Standard	Apr	May	June	July	Aug	Sept	Average
Near weigh bridge	2	0.64	0.64	0.65	0.65	0.64	0.63	0.64
Near Hopper Building		0.56	0.6	0.58	0.55	0.55	0.53	0.56
Near CCR building		0.63	0.63	0.63	0.63	0.64	0.63	0.63
Near raw material yard		0.55	0.53	0.53	0.54	0.55	0.54	0.54


Ambient Air (PM10) ($\mu\text{g}/\text{m}^3$)




Ambient Air (PM2.5) ($\mu\text{g}/\text{m}^3$)




Ambient Air SO_x (µg/m³)



Ambient Air NO_x (µg/m³)



Ambient Air CO ($\mu\text{g}/\text{m}^3$)



7

Secondary fugitive emissions shall be controlled and shall be within the prescribed limits and regularly monitored. Guidelines/Code of Practice issued by the CPCB in this regard shall be followed.

Complied

Fugitive emission from secondary sources are controlled, monitored and maintained within the prescribed standards.

Unit is following the CPCB guidelines for control of fugitive emission. Unit has taken the following appropriate measures to control the fugitive emissions.

- Unit has engaged truck mounted road-sweeping machines for road sweeping in the plant premises.
- Unit is deploying the dedicated manpower for cleaning of dust prone areas.
- Unit is carrying out water sprinkling to suppress the dust.
- Unit is storing the raw materials in the covered shed.
- Unit is carried out the avenue plantation to arrest the dust.
- Unit is ensuring all the material loaded with inward & outward transporting vehicles are covered properly with tarpaulin.


Fugitive emissions are being monitored at regular intervals on monthly basis at Raw Material Storage Yard, Main Gate, CCR Building & Near Weigh Bridge through NABL and MOEF recognized

laboratory & emission value found within the limit. Fugitive Emission Monitoring Data for the Period of April 2025 to September 2025 are mentioned below:

Fugitive Dust Emission FY 25-26 (April to September)

	Permissible Limit	Apr-25	May-25	June-25	July-25	Aug-25	Sept-25
Raw material storage yard	1200	102	106	110	109	112	114
Main Gate		86	90	96	97	101	104
Near CCR Building		92	97	102	103	106	108
Near Weighbridge		95	94	98	96	99	101

Fugitive Dust Emission



8 All the raw materials shall be stored under covered shed (as proposed) to control fugitive emission.

Complied

Covered sheds with impervious platform have been provided for storage of Clinker, gypsum and coal. Wherein fly ash is directly unloaded in Fly ash silo/bin from bulker through pneumatic pressure to avoid fugitive emission.



Covered Shed for Raw Material Storage

9	<p>Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of conveyors/rail mode of transport wherever feasible. The company shall have separate truck parking area. Vehicular emissions shall be regularly monitored.</p>	<p>Complied</p> <p>Closed conveyor belts have been installed to control the fugitive emission. transportation of raw material is being done through closed conveyor belts. Wherever feasible tarpaulin is covered on truck during transportation of raw materials and end products. We have provided a separate truck parking area and vehicular emissions is monitored through PUC certificate of the vehicle. Vehicles having valid PUC certificates are only allowed inside premises.</p>
10	<p>All the treated wastewater shall be recycled and reused in the process and/or for dust suppression and green belt development and other plant related activities etc. No wastewater shall be discharged outside the factory premises and 'zero' discharge shall be adopted.</p>	<p>Complied</p> <p>JSW cement limited is adopting a dry process technology for its cement manufacturing and no influents are being generated in process. However, the wastewater generated for the domestic utilization is being treated in Sewage Treatment Plant of capacity 20 KLD. The treated wastewater is further utilized for dust suppression/plantation/gardening purposes. JSW is adopting a ZLD process.</p>





20 KLD Sewage Treatment Plant installed for treatment of domestic water

11	Efforts shall be made to make use of harvested rain water.	Complied Unit has made effort for construction of Roof Top Rain Water Harvesting System having the catchment area of 2584 sq. mtr. Unit has harvested total 3303.39 ³ rain water from the period of Apr 25 to Sept 25.										
12	All the bag filter dust, raw mill dust, coal dust, clinker dust and cement dust from pollution control devices shall be recycled and reused in the process and used for cement manufacturing. Spent oil and batteries shall be sold to authorized recyclers/ re-processors only.	Complied All the dust collected from air pollution control devices are being recycled & reused in cement manufacturing process. Used/Spent oil, burst Plastic bags & lead acid batteries are sold to OSPCB authorized recyclers/ re-processors only.										
13	Green belt over 33% (5.61 acres as proposed) of the total project area shall be developed within plant premises with at least 10-meter-wide green belt on all sides along the periphery of the project area and along road sides etc. by planting native and broad leaved species in consultation with local DFO, local community and as per the CPCB guidelines.	Complied JSW Cement limited has carried out the greenbelt development in more than 33 % of project area by planting native/local species in consultation with local DFO, local community and as per CPCB guidelines. We have planted total 6368 No. of trees on 6.2 acres of land by the end of which is more than 40 % of greenbelt of total land area. <table border="1"> <thead> <tr> <th>FY</th><th>No. of Trees</th><th>Survival Rate</th></tr> </thead> <tbody> <tr> <td>FY 19-20</td><td>610</td><td rowspan="3">91%</td></tr> <tr> <td>FY 20-21</td><td>1920</td></tr> <tr> <td>FY 21-22</td><td>1080</td></tr> </tbody> </table>	FY	No. of Trees	Survival Rate	FY 19-20	610	91%	FY 20-21	1920	FY 21-22	1080
FY	No. of Trees	Survival Rate										
FY 19-20	610	91%										
FY 20-21	1920											
FY 21-22	1080											

FY 22-23	588	
FY 23-24	1800	
FY 24-25	300	
FY 25-26 (Apr- Sept)	70	
Total	6368	

Addition to this we have planted 2500 Nos of trees outside the boundary on 17 th sept in the name of “Ek ped Maa Ke Naam”





14	The project proponent shall provide solar light system for all common areas, street lights, villages, parking around project area and maintain the same regularly. The proponent shall use Solar/ Renewable energy of 5 % of the expected actual power requirement.	Complied.	
		Solar lighting system has been provided in common areas, street lights of plant premises having its total energy saving contribution of approx. 1%	
		We also have certificate from IEX for procurement of renewable energy to reduce the actual power requirement of 5% for FY 2024-25. The details are given as under:	
		Total Power used from Grid in FY 2024-25 (KWh)	23822160
		Green Energy/ Renewable Energy from IEX (KWh)	12,00,000
		Total Percentage for using Renewable Energy	5



Solar Panel installed at different location of plant to reduce electricity consumption

Certificate of Purchase of Renewable Energy Certificate



INDIAN ENERGY EXCHANGE LTD.
Certificate of Purchase of REC(s)

Certificate Number : C-IEX_REC000925

Issued On: 26-Mar-2025

JSW Cement Limited

Number of Certificates: 1200

This certifies that JSW Cement Limited is the holder of 1200 non transferable Renewable energy certificate(s) bought on 26-Mar-2025, through Indian Energy Exchange Limited.

This certificate represented hereby is issued and shall be held subject to all the provisions of the regulations of Honorable CERC as amended from time to time and the Bye-laws, Rules and Business Rules of Indian Energy Exchange Limited.

This is a computer-generated statement hence doesn't require signature.

Certificate of Purchase of Renewable Energy



15	The project proponent shall provide LED lights in their offices and residential areas.	Complied JSW Jajpur has provided LED lights in offices. Residential colony does not exist in unit.
16	All the commitments made during the Public Hearing / Public Consultation meeting held on 03rd May, 2017 shall be satisfactorily implemented and adequate budget provision should be made accordingly.	Being Complied We have earmarked INR 8 Crore towards ESC/CER and the same shall be spent towards meeting PH commitments. Current Status of Public Hearing Commitment given as Annexure- II
17	All the recommendations made in the Charter on Corporate Responsibility for	Complied

	Environment Protection (CREP) for the Cement plants shall be implemented.	Unit is ensuring CREP compliance applicable to cement plant and all the recommendations have been implemented. Annexure-III.
18	<p>At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on Public Hearing issues, locals need and item-wise details along with time bound action plan shall be prepared and submitted to the SEIAA, Odisha and Regional Office MoEF&CC Bhubaneswar. Implementation of such program shall be ensured by constituting a Committee comprising of the proponent, representatives of village Panchayat and District Administration. Action taken report in this regard shall be submitted to the SEIAA, Odisha as well as to the Regional Office MoEF & CC Bhubaneswar.</p>	<p>Being Complied</p> <p>The details of CSR plan for five years has been shared and INR 8 Crores has been earmarked for Enterprise Social Commitment (ESC). Expenditure incurred towards Social Commitment (ESC) based on Public Hearing issues till Sept 25 is 8.03 Crore.</p>
19	<p>In addition to the above provision of ESC, the proponent shall prepare a detailed CSR Plan for the next 5 years including annual physical and financial targets for the project, which includes village-wise, sector-wise (Health, Education, Sanitation, Skill Development and infrastructure etc.) activities in consultation with the local communities and administration. The plan so prepared shall be based on SMART (Specific, Measurable, Achievable, Relevant and Time bound) concept. The expenditure should be aimed at sustainable development and direct free distribution and temporary relief should not be included. The CSR plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the plan shall be submitted as part of the Compliance report to the SEIAA, Odisha and Regional Office, MoEF&CC, Bhubaneswar. The details of the CSR Plan</p>	<p>Being Complied</p> <p>Detailed CSR Expenditure for the FY 2024-25 is enclosed as Annexure-IV. The details of CSR plan has been uploaded on website https://www.jswcement.in/csr</p>

	shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.	
20	A risk assessment study and Disaster Preparedness and Management Plan along with the mitigation measures shall be prepared with a focus of Disaster Prevention and a copy submitted to SEIAA Odisha, Regional Office MoEF&CC Bhubaneswar, SPCB and CPCB within 3 months of issue of environment clearance letter.	<p>Complied</p> <p>Risk assessment study & Disaster Management Plan along with mitigation measures is enclosed herewith as Annexure -V.</p>
21	To educate the workers, all the work places where dust may cause a hazard shall be clearly indicated as a dust exposure area through use of display signs which identifies the hazard and the associated health effects.	<p>Complied.</p> <p>All the dust prone areas indicating the hazard and associated health effects are clearly identified and awareness of the same is being provided to the workers working in the area.</p>
22	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	<p>Complied</p> <p>The condition duly complied with during the implementation phase. Presently, there is no such type of construction activity scheduled in the plant, therefore, no temporary infrastructure and facilities are required.</p>


B.	General Conditions	Compliance						
1	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board, Odisha.	Complied We are strictly adhering to the stipulations made by Odisha State Pollution Control Board.						
2	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, Odisha.	Noted and agreed Unit will not carry out further expansion or modification without prior approval of the concerned authority.						
3	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to the SEIAA, Odisha, Regional Office, MoEF&CC, Bhubaneswar and the SPCB/CPCB once in six months.	Complied Four Ambient Air Quality Monitoring stations (04 AAQM) & 1 CAAQMS (Continuous Ambient Air Quality Monitoring System) have been established in downwind direction in consultation with the SPCB. In addition to the above monthly environment, monitoring of the ambient air quality is being carried out through NABL accredited laboratory at the four locations in the downwind directions. Reports of the same are being submitted to the concerned statutory bodies on monthly basis. FY 25-26, Sept 25 report was submitted on 09 th Oct 2025.						
4	The overall noise levels in and around the plant area shall be kept well within the standards (85 dB A) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz, 75 dBA (day time) and 70 dBA (night time)	Complied We have installed acoustic barriers around high noise generations equipment. Regular preventive maintenance of the equipment is performed to minimize the noise generation. Ambient noise level is being maintained within the prescribed norms. Ambient Noise Monitoring is carried out by NABL accredited laboratory and report for the same is submitted to the concerned authority on regular basis Noise Monitoring data for the period April 2025 to September 2025 are as mentioned below:						
		Standard	Apr-25	May-25	June-25	July-25	Aug-25	Sept-25
	CCR Building	75(Day time)	66.8	67.1	66.8	65.2	66.2	67.1
	Near Weigh Bridge		64.9	65.2	65.5	64.3	65.4	64.6
	Hopper Building		68.1	67.8	66.4	65.4	65.8	66.2
	Raw Material Storage Yard		64.2	65.1	64.8	63.9	64.3	65.2

		Night Time					
	Standard	Apr-25	May-25	June-25	July-25	Aug-25	Sept-25
CCR Building	70dB(Night Time)	57.2	58.2	57.4	56.5	56.9	57.4
Near Weigh Bridge		57.4	56.7	55.7	55.1	54.8	53.9
Hopper Building		55.7	57.3	56.6	56.1	55.6	56.2
Raw Material Storage Yard		52.5	53.6	53.8	52.9	53.8	54.4



Noise Level Monitoring at Plant Premises

5	Occupational health surveillance of the workers should be done on a	Complied
----------	--	----------

	<p>regular basis and records maintained as per the Factories Act.</p>	<p>Occupational health Surveillance of the workers & Employees are being carried on a regular basis as per Factory act requirement and records are maintained. Last health check-up was done on 12th, 13th & 14th Feb 2025. Photographs of health check-up are annexed below.</p>  <p>Photographs of Annual Health Check- up of Employees & Associates</p>
6	<p>The company should develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.</p>	<p>Complied. Unit has made effort for construction of Roof Top Rain Water Harvesting System having the catchment area of 2584 sq. mtr. Unit has harvested total 3303.39³ rainwater from the period of Apr 25 to Sept 2025.</p>
7	<p>The project proponent should also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.</p>	<p>Unit has complied all the Environment Protection Measures recommended in EIA / EMP. Following Environmental Protection Measures has been taken by the unit:</p> <ul style="list-style-type: none"> ➤ Installation of Bag House & Bag filters ➤ Green Belt Development ➤ Installation of Online & Manual monitoring systems ➤ Maintaining Zero Liquid Discharge ➤ Covered shed for Raw Material Storage ➤ Installation & Commissioning of wheel Washing System ➤ All internal roads have been concreted & Road Sweeping Machine engaged for the same. etc <p>We will continuously implement various CSR programs as per the CSR plan in the field of Livelihood, Infrastructure, Health & Sanitation, Education & Sports.</p>

8	<p>Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the SEIAA, Odisha as well as the State Pollution Control Board, Odisha. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office, MoEF&CC, Bhubaneswar. The funds so provided shall not be diverted for any other purpose.</p>	<p>Complied</p> <p>Unit has earmarked INR 16.5 Crore towards capital cost of implementation of EMP and pollution control measures. For the same INR 0.335 crore incurred towards recurring Cost from Apr'25 to Sept'25 for environment protection and pollution control measures.</p> <p>Item wise breakup of EMP has been given in Annexure-VI</p> <p>These funds shall not be diverted for any other purpose.</p>
9	<p>A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad / Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.</p>	<p>Complied</p> <p>Unit has sent the copy of our Environment Clearance to concerned panchayat, zila parishad/municipal corporation. Copy of the Environment clearance letter has been uploaded on our company website and can be viewed at the below link: http://www.jswcement.in/wp-content/uploads/EC-Order-1.2-MTPA-Jajpur-17-10-2017.pdf</p>
10	<p>The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically on the MoEF&CC website. It shall simultaneously be sent to the Regional Office of the MoEF&CC at Bhubaneswar, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10 S02, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.</p>	<p>Complied</p> <p>Unit is uploading and regularly updating the compliance report on the company website.</p> <p>The Pollutants parameters (Ambient level) related to grinding units are being monitored & displayed at Main gate of Company in Public Domain.</p> <p>Unit is submitting compliance report along with monitoring data to MoEF & CC, CPCB, & SPCB on six monthly basis, Last six monthly report for the period of October 2024 to March 2025 was submitted on 23/05/2025 in Parivesh Portal.</p>
11	<p>The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional, Office of MoEF&CC, Bhubaneswar, the</p>	<p>Complied</p> <p>Six monthly compliance reports are submitted to all the concerned regulatory authorities on regular basis as stipulated. The soft copy of the compliance report is uploaded in Parivesh portal on half-yearly basis as per the timeline.</p>

	respective Zonal Office of CPCB and the SPCB. The Regional Office of MoEF&CC at Bhubaneswar / CPCB / SPCB shall monitor the stipulated conditions.	
12	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEF&CC at Bhubaneswar by e-mail.	Noted and being complied. The Environmental Statement for the FY 2024-25 in form of FORM-V has been submitted on 29 th Sep 2025 vide letter no JSWCL/JAJPUR/ENV/2025-26/17, The copy of the same is attached as Annexure-VII .
13	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA, Odisha and copy of the clearance letter is available with the SPCB and may also be available in the Website of the SEIAA, Odisha and the Odisha State Pollution Control Board (OSPCB). This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office, MoEF&CC, Bhubaneswar as well as State Pollution Control Board, Odisha.	Complied We have advertised about grant of Environment Clearance in 2 local newspapers i.e New Indian Express & Pramay which are widely circulated in the region and copy of the same was submitted to Regional office, MoEF&CC. Newspaper advertisement is attached as an Annexure-VIII .
14	Project authorities shall inform the SEIAA, Odisha, as well as Regional Office, MoEF&CC, Bhubaneswar, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Date of financial closure: December 2015 Date of final approval: Final approval from IPICOL on 02-12-2015. Date of commencement of land development work: 16-11-2017.
15	The SEIAA, Odisha may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted and agreed.
16	The SEIAA, Odisha reserves the right to stipulate additional conditions if	Noted and agreed.

	found necessary. The Company in a time bound manner shall implement these conditions.	
17	The applicant will take statutory clearance/approval/permissions from the concerned authorities in respect of the project as and when required.	Noted and agreed.
18	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted and agreed.

For JSW Cement Limited



Alok Niranjana Lal Bagaria
(Unit Head)