



**STEEL  
GROUTS  
RANGE**



**THE  
LEADERS'  
CHOICE**

**PRECISION STEEL GROUTS**

# SG1 FLOWABLE

# STEEL GROUTS RANGE

## High Performance & High Strength Grout

**JSW Steel Grout SG1** is a cementitious flowable, non-shrink, high-strength grout for precision application like repair, RCC structures, heavy machinery foundations, etc. JSW Steel Grout SG1 is engineered for precision grouting where it is essential to withstand static and dynamic loads.

### USAGE AREAS

- Base plate foundations of heavy machinery and equipment foundations, like boiler foundations and turbine generator bearings
- Cavities, gaps, recesses and anchorage
- Bridge-bearing pads and structural columns in precast crane rail construction grouting



Highly Flowable



Non shrink  
Non Expansive



High Strength



Compressive Strength	PACK SIZE:	BEST BEFORE
100 MPA	25 kg	6 months

# SG2 FLOWABLE

# STEEL GROUTS RANGE

## High Performance Grout

**JSW Steel Grout SG2** is a cementitious flowable, non-shrink, high-strength grout for precision application like repair, RCC structures, heavy machinery foundations, etc. JSW Steel Grout SG2 is engineered for precision grouting where it is essential to withstand static and dynamic loads.

### USAGE AREAS

- Base plate foundations of heavy machinery and equipment foundations, like boiler foundations and turbine generator bearings
- Cavities, gaps, recesses and anchorage
- Bridge-bearing pads and structural columns in precast crane rail construction grouting



High Strength



Non shrink  
Non Expansive



Highly Flowable



Compressive Strength	PACK SIZE:	BEST BEFORE
80 MPA	25 kg	6 months

# SG3 FLOWABLE

# STEEL GROUTS RANGE

## General Purpose Precision Grout

**JSW Steel Grout SG3** is a cementitious flowable, non-shrink, high-strength grout for precision application like repair, RCC structures, heavy machinery foundations, etc. JSW Steel Grout SG3 is engineered for precision grouting where it is essential to withstand static and dynamic loads.

### USAGE AREAS

- Base plate foundations of heavy machinery and equipment foundations, like boiler foundations and turbine generator bearings
- Cavities, gaps, recesses and anchorage
- Bridge-bearing pads and structural columns in precast crane rail construction grouting



Non-shrink Grout



Self-compactable



High Durability



Compressive Strength	PACK SIZE:	BEST BEFORE
60 MPA	25 kg	6 months

# ROAD INSTA CURE

# STEEL GROUTS RANGE

**CEMENTITIOUS FLOWABLE NON-SHRINK RAPID HARDENING GROUT FOR ROAD APPLICATION**

**JSW Road Insta Cure** is a cementitious flowable non shrink, rapid hardening mix for precision application like repair Road cracks/Structures instantly. **JSW Road Insta Cure** is the blending of cement, cementitious materials, along with graded fillers and polymers. **JSW Road Insta Cure** is engineered designed for precision repair grout where it is essential to withstand crack free road repairs with instant cure fast setting and rapid hardening.

## USAGE AREAS

- Concrete roads
- Precast concrete repair
- RCC concrete slab/beam
- Airport concrete repair



Self-compactable



Non shrink  
Non Expansive



Very rapid strength  
generation and hardening

Compressive Strength 2hrs to 28 days	PACK SIZE:	BEST BEFORE
M 20 - M 80	25 kg	6 months

# GUN GRADE

# STEEL GROUTS RANGE

**PUMPABLE GUN GRADE MORTAR FOR TIE - ROD HOLE APPLICATION**

**JSW SteelGrout - Gun Grade Mortar** is recommended for filling of tie rod hole/slit holes in concrete and natural stones.

## USAGE AREAS

- tie rod hole
- Slit Holes
- Natural Stones



tie rod hole



Faster Completion  
of Work



Nil shrinkage

Compressive Strength	PACK SIZE:	BEST BEFORE
8 - 10 MPA	25 kg	12 months



## REGISTERED OFFICE

JSW Centre, Bandra Kurla Complex, Near MMRDA Grounds, Bandra East, Mumbai 400 051

## MARKETED BY:

**JSW Green Cement Pvt. Ltd.** Babukhan Millenium, Centre, 6-3-1099/1100, No. 702, Block-A, Somajiguda, Hyderabad, Telangana, India, Pincode - 500 082

**Email:** info@jswcement.in | **Website:** www.jswcement.in | **Toll free:** 18002662661

SCAN HERE FOR TDS



SCAN HERE

